



NIRS XDS Process Analyzer – DirectLight /NonContact-Single point

A629280310

Based on NIR XDS technology, the NIRS XDS Process Analyzer – DirectLight/NonContact is numbered among the next generation of non-contact process analyzers for real-time analysis above a conveyor belt, web or sheet. Non-destructive, accurate measurements are performed of practically any moving solid product.

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery A629280310


Qt.	Order no.	Description
-----	-----------	-------------

1 PCS

6.7450.090

NIRS 99% reflection and wavelength standard for
process instrument, 1 inch diameter, 45° bevel

NIRS 99% reflection and wavelength standard for process instrument
with 1 inch diameter and 45° angle




1 PCS

6.7450.080

NIRS 99% reflection and wavelength standard for
process instrument, 0.5 inch probe diameter

NIRS 99% reflection and wavelength standard for process instrument,
0.5 inch probe diameter




1 PCS

6.7440.480

NIRS Process, I/O Communication box

I/O Communication box for process instruments with 24 analog and 24
digital channels



1 PCS





6.7450.070

NIRS 99% reflection and wavelength standard
process, 1 inch diameter

NIRS 99% reflection and wavelength standard for process instrument
with 1 inch probe diameter



Optional accessories

Order no.	Description	
6.7450.090	NIRS 99% reflection and wavelength standard for process instrument, 1 inch diameter, 45° bevel	
	NIRS 99% reflection and wavelength standard for process instrument with 1 inch diameter and 45° angle	
6.7450.080	NIRS 99% reflection and wavelength standard for process instrument, 0.5 inch probe diameter	
	NIRS 99% reflection and wavelength standard for process instrument, 0.5 inch probe diameter	
6.7440.480	NIRS Process, I/O Communication box	
	I/O Communication box for process instruments with 24 analog and 24 digital channels	
A649281190	NIRS XDS Process Contact Lamp 50W, 12 Volt- White lead	
	Replacement lamp with contact for NIRS Process instruments. 50W, 12 Volt- White lead.	

6.7450.070

NIRS 99% reflection and wavelength standard process, 1 inch diameter

NIRS 99% reflection and wavelength standard for process instrument
with 1 inch probe diameter

