

KFC equipment with generator electrode with diaphragm for OMNIS Oven Module

6.05406.060

Complete accessory set for coulometric Karl Fischer titrations with a generator electrode with diaphragm on an OMNIS Oven Module

Phạm vi giao hàng 6.05406.060

Qt.	Order no.	Description

1 PCS 6.00348.100 Generator electrode with diaphragm

Generator electrode with diaphragm for coulometric Karl Fischer titrations, SGJ 29/22. This electrode has a cable connection angled upwards, which simplifies cable guiding and operation when used with the OMNIS Sample Robot Oven.
This generator electrode is well-suited for:

- Samples with very low absolute water content 50 ppm
- Coulometric water content determination in oil samples
- Applications where ketone reagents are used
- Applications where low-conducting reagents are used (addition of chloroform, xylene >10%)

---

1 PCS 6.02104.050 Electrode cable plug-in head G (pol.) / plug P, 1.5 m

Cable for connecting an analog polarizable electrode (plug-in head G) to an analog measuring module from OMNIS.

---

1 PCS 6.0341.100 Double Pt-wire electrode for coulometry

Indicator electrode used for coulometric Karl Fischer titration.

---

1 PCS 6.1403.030 KF adsorber tube for coulometer cell

For KF coulometers.

---

1 PCS	6.1448.020	Septum 16 mm, 5 pieces

Set of 5 pcs.

---

1 PCS	6.1464.320	KF titration vessel / 80-250 mL / coulometric

---

1 PCS	6.1903.030	Stirring bar / 25 mm

Stirring bar with magnetic core, PTFE covering, length 25 mm.

---

1 PCS	6.2104.630	Electrode cable / 1.5 m / H

With plug H, for the generator electrode - coulometer connection

---

1 PCS 6.2701.040 GL 18 screw cap with hole

Made of PBT. With a hole for the 6.1448.020 septum. For the 6.5405.000 cell without diaphragm and the 6.1464.32X and 6.1465.320 titration vessels.

---

1 PCS 6.2713.000 PTFE sleeve SGJ14

For fat-free ground-joint connection with the standard ground-joint SGJ 14.

---

1 PCS 6.2713.010 PTFE sleeve SGJ29

Sleeve for fat-free ground-joint connection with the standard ground-joint SGJ 29.

---

1 PCS 6.2713.020 PTFE sleeve SGJ19

For fat-free ground-joint connection with the standard ground-joint SGJ 19.

Phụ kiện tùy chọn

Order no.	Description
6.2811.000	Molecular sieve Molecular sieve. Bottle containing 250 g. Pore size: 0.3 nm. Without moisture indicator. For Rancimats and Karl Fischer instruments.

6.2811.010	Molecular sieve (US) Molecular sieve. Bottle containing 250 g. Pore size: 0.3 nm. Without moisture indicator. For Rancimats and Karl Fischer instruments. This product is intended for all users who are US residents. The material is rated hazardous in the US in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200).